



CurvaPrint

Silk-screened or digitally printed glass with a ceramic frit paint patterns fused during the heat treating process making.

Highly resistant to abrasions and scratches.

Size Limitations



Manufacturing Capabilities

- ☒ All glass colors
- ☒ 1/4" to 3/4" (glass thickness)
- ☒ Flat
- ☒ Curved
- ☒ Low E
- ☒ Holes and Notches
- ☒ Edge Finishing
- ☒ Laminated
- ☒ IGU¹

¹Customer needs to provide "donut fitting"

Laminated Glass Notes:

Glass Thickness:

Min: 1/4" + 1/4"

Max: 4"

Interlayer Thickness:

From 0.030" to 0.090"

Interlayer Types:

- ☒ PVB Clear
130" (3.30m) x 338" (8.60m)
- ☒ PVB Color/Opaque/Translucent
96" (2.46m) x 338" (8.60m)
- ☒ XIR®
78" (2.00m) x 338" (8.60m)
- ☒ Trosifol® SC
126" (3.21m) x 338" (8.60m)
- ☒ Trosifol® ES
126" (3.21m) x 338" (8.60m)
- ☒ DG 41
126" (3.21m) x 338" (8.60m)
- ☒ SentryGlas® Clear
130" (3.30m) x 338" (8.60m)
- ☒ SentryGlas® Translucent White
72" (1.83m) x 338" (8.60m)


*Width Up to 130" available upon request




Standard Colors



Black
M24-8329



Dark Gray
M24-8377



Pewter
M24-8303



Warm Gray
M24-8375



Stone Gray
M24-8304



Light Gray
M24-8381




White
M20-8329



Metallic Gray
M24-8301



Frost
24-8494



Mustard
M23-8302



Fire
M28-8304



Orange Red
M28-8305



Crimson
M21-8302



Evergreen
M26-8301



Forest Green
M26-8303



Brown
M29-8301



Royal
M27-8306

* Please note colors may vary due to differences in monitor display coloring and printed ink on paper, therefore Cristacurva highly recommends a glass sample is requested to review true color representation.

Please contact our Sales Team regarding any specific design criteria or quoting considerations you may have.

Contact: sales@cristacurva.com
Toll Free: 866.827.6049



www.cristacurva.com

click here

